

buffer の swap data in block でビットのエンディアンを変更する。

Swap data in buffer block

Address range

Block start: h (x8) ← History

Block end: h (x8) ← History

Note: Addresses are byte-oriented.

Swap mode

☒ Swap 2-bytes inside 16-bit words

☐ Swap 4-bytes inside 32-bit words

☐ Swap nibbles inside bytes

☐ Mirror bits inside bytes

OK Cancel

original を load した状態

View/Edit Buffer - H:\\$AKUSEI10\ELNEC\N25P16_VMN6P\M25P16-VMN6TP NR00125C\M25P1...

Buffer size: 1024.0 kWords Current address: 0000000000 Mode: View 8 bit 16 bit

Address-hex	0	1	2	3	4	5	6	7
0000000000	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF
0000000008	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF
0000000010	9955	850C	E000	0004	868C	7790	84CC	F03C
0000000018	858C	9100	828C	00F4	438C	8440	C901	870C
0000000020	F3FF	830C	8100	818C	8110	804C	F800	834C
0000000028	A000	874C	2000	854C	7000	864C	0000	814C
0000000030	0000	82CC	4F18	46CC	0000	0000	440C	0000
0000000038	0000	850C	8000	060A	8000	45C4	0000	0000
0000000040	0000	0000	0000	0000	0000	0000	0000	0000
0000000048	0000	0000	0000	0000	0000	0000	0000	0000
0000000050	0000	0000	0000	0000	0000	0000	0000	0000
0000000058	0000	0000	0000	0000	0000	0000	0000	0000
0000000060	0000	0000	0000	0000	0000	0000	0000	0000
0000000068	0000	0000	0000	0000	0000	0000	0000	0000
0000000070	0000	0000	0000	0000	0000	0000	0000	0000
0000000078	0000	0000	0000	0000	0000	0000	0000	0000
0000000080	2040	0000	0000	4100	0000	0000	0000	0000
0000000088	0000	0000	0000	0000	0000	0000	0000	0000
0000000090	0000	0000	0000	0000	0000	0000	0000	0000
0000000098	0000	0000	0000	0000	0000	0000	0000	0000
00000000A0	0000	0000	0000	0000	0000	0000	0000	0000
00000000A8	0000	0000	0000	0000	0000	0000	0000	0000
00000000B0	0000	0000	0000	0000	0000	0000	0000	0000
00000000B8	0000	0000	0000	0000	0000	0000	0000	0000
00000000C0	0000	0000	0000	0000	0000	0000	0000	0000
00000000C8	0000	0000	0000	0000	0000	0000	0000	0000
00000000D0	0000	0000	0000	0000	0000	0000	0000	0000

Highlight legend

- Recently modified by multi operation (FILL, ERASE)
- Older modified by multi operation (FILL, ERASE)
- Recently modified by Byte/Word direct edit
- Older modified by Byte/Word direct edit

swap 2bytes inside 16-bit words

View/Edit Buffer - H:\\$SAKUSEI10\ELNEC\N25P16_VMN6P\M25P16-VMN6TP_NR00125C\M25P1...

Buffer size: 2048.0 kBytes Current address: 00000000C5 h Mode: View Edit 8 bit 16 bit

Address-hex	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
0000000000	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0000000010	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF
0000000020	99	55	85	0C	E0	00	00	04	86	8C	77	90	84	CC	F0	3C	"U...à...t@w „î&<															
0000000030	85	8C	91	00	82	8C	00	F4	43	8C	84	40	C9	01	87	0C	...@',.,@.ôC@,,@É.+. .															
0000000040	F3	FF	83	0C	81	00	81	8C	81	10	80	4C	F8	00	83	4C	ó.f. . @ .€Lø.fL															
0000000050	A0	00	87	4C	20	00	85	4C	70	00	86	4C	00	00	81	4C	.+LLp.†L. L															
0000000060	00	00	82	CC	4F	18	46	CC	00	00	00	00	44	0C	00	00	. ., îO.Fî....D...															
0000000070	00	00	85	0C	80	00	06	0A	80	00	45	C4	00	00	00	00€....€..EÄ....															
0000000080	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
0000000090	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
00000000A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
00000000B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
00000000C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
00000000D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
00000000E0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
00000000F0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
0000000100	20	40	00	00	00	00	41	00	00	00	00	00	00	00	00	00	@. . . . A. . . .															
0000000110	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
0000000120	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
0000000130	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
0000000140	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
0000000150	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
0000000160	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
0000000170	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
0000000180	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
0000000190	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															
00000001A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00															

Highlight legend

- ☒ Enabled
- Recently modified by multi operation (FILL, ERASE)
- Recently modified by Byte/Word direct edit
- Older modified by multi operation (FILL, ERASE)
- Older modified by Byte/Word direct edit

Clear

swap 4bytes inside 16-bit words

View/Edit Buffer - H:\SAKUSEI10\ELNEC\N25P16_VMN6P\M25P16-VMN6TP NR00125C\M25P1...

Buffer size: 1024.0 kWords Current address: 0000000065 h Mode: View Edit 8 bit 16 bit

Address-hex	0	1	2	3	4	5	6	7	0	1	2	3	4	5	6	7
0000000000	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF
0000000008	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF	FFFF
0000000010	0C85	5599	0400	00E0	9077	8C86	3CF0	CC84	...	U™	..	.à	w	æ+	<ð	ï,,
0000000018	0091	8C85	F400	8C82	4084	8C43	0C87	01C9\	æ...	ð.	æ,	æ,,	æC	.+ .É
0000000020	0C83	FFF3	8C81	0081	4C80	1081	4C83	00F8f	.ó	æ	.	Læ	.	Lf .ø
0000000028	4C87	00A0	4C85	0020	4C86	0070	4C81	0000	...	L+	.	L...	.	L+	.p	L ..
0000000030	CC82	0000	CC46	184F	0000	0000	0000	0C44	...	ï,	..	ïF	.OD
0000000038	0C85	0000	0A06	0080	C445	0080	0000	0000e	Æ	.	e
0000000040	0000	0000	0000	0000	0000	0000	0000	0000
0000000048	0000	0000	0000	0000	0000	0000	0000	0000
0000000050	0000	0000	0000	0000	0000	0000	0000	0000
0000000058	0000	0000	0000	0000	0000	0000	0000	0000
0000000060	0000	0000	0000	0000	0000	0000	0000	0000
0000000068	0000	0000	0000	0000	0000	0000	0000	0000
0000000070	0000	0000	0000	0000	0000	0000	0000	0000
0000000078	0000	0000	0000	0000	0000	0000	0000	0000
0000000080	0000	4020	0041	0000	0000	0000	0000	0000	@	.	A
0000000088	0000	0000	0000	0000	0000	0000	0000	0000
0000000090	0000	0000	0000	0000	0000	0000	0000	0000
0000000098	0000	0000	0000	0000	0000	0000	0000	0000
00000000A0	0000	0000	0000	0000	0000	0000	0000	0000
00000000A8	0000	0000	0000	0000	0000	0000	0000	0000
00000000B0	0000	0000	0000	0000	0000	0000	0000	0000
00000000B8	0000	0000	0000	0000	0000	0000	0000	0000
00000000C0	0000	0000	0000	0000	0000	0000	0000	0000
00000000C8	0000	0000	0000	0000	0000	0000	0000	0000
00000000D0	0000	0000	0000	0000	0000	0000	0000	0000

Highlight legend

- ☒ Enabled
- Recently modified by multi operation (FILL, ERASE)
- Recently modified by Byte/Word direct edit
- Older modified by multi operation (FILL, ERASE)
- Older modified by Byte/Word direct edit

Clear

swap nibbles inside bytes

View/Edit Buffer - H:\\$SAKUSEI10\ELNEC\N25P16_VMN6P\M25P16-VMN6TP NR00125C\M25P1...

Buffer size: 2048.0 kBytes Current address: 00000000C5 h Mode: View Edit 8 bit 16 bit

Address-hex	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
0000000000	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	
0000000010	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	FF	
0000000020	55	99	C0	58	00	0E	40	00	C8	68	09	77	CC	48	C3	0F	U™ÀX..@.Èh.wìHÃ.															
0000000030	C8	58	00	19	C8	28	4F	00	C8	34	04	48	10	9C	C0	78	ÈX..È(O.È4.H.œÀx															
0000000040	FF	3F	C0	38	00	18	C8	18	01	18	C4	08	00	8F	C4	38	.?À8..È...Ã...À8															
0000000050	00	0A	C4	78	00	02	C4	58	00	07	C4	68	00	00	C4	18	..Ãx..ÃX..Ãh..Ã.															
0000000060	00	00	CC	28	81	F4	CC	64	00	00	00	00	C0	44	00	00	..ì(ôìd...ÃD..															
0000000070	00	00	C0	58	00	08	A0	60	00	08	4C	54	00	00	00	00	..ÃX..`...LT....															
0000000080	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
0000000090	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
00000000A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
00000000B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
00000000C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
00000000D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
00000000E0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
00000000F0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
0000000100	04	02	00	00	00	00	00	14	00	00	00	00	00	00	00	00	...															
0000000110	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
0000000120	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
0000000130	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
0000000140	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
0000000150	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
0000000160	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
0000000170	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
0000000180	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
0000000190	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															
00000001A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	...															

Highlight legend

- ☒ Enabled
- Recently modified by multi operation (FILL, ERASE)
- Older modified by multi operation (FILL, ERASE)
- Recently modified by Byte/Word direct edit
- Older modified by Byte/Word direct edit

Clear

Mirror bits inside bytes

View/Edit Buffer - H:\\$AKUSEI10¥ELNEC¥N25P16_VMN6P¥M25P16-VMN6TP NR00125C¥M25P1...

Buffer size: 2048.0 kBytes Current address: 0000000020 h Mode: View Edit 8 bit 16 bit

Address-hex	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
0000000020	AA	99	30	A1	00	07	20	00	31	61	09	EE	33	21	3C	0F	0	1	2	3	4	5	6	7	8	9	A	B	C	D	E	F
0000000030	31	A1	00	89	31	41	2F	00	31	C2	02	21	80	93	30	E1	1	;	%	1	A	/	.	1	Ã	!	€	"	0	á		
0000000040	FF	CF	30	C1	00	81	31	81	08	81	32	01	00	1F	32	C1	.	İ	0	Ã	.	1	.	2	...	2	Ã					
0000000050	00	05	32	E1	00	04	32	A1	00	0E	32	61	00	00	32	81	.	2	á	...	2	;	...	2	a	...	2					
0000000060	00	00	33	41	18	F2	33	62	00	00	00	00	00	30	22	00	00	.	3	A	.	ò	3	b	...	0	"	...				
0000000070	00	00	30	A1	00	01	50	60	00	01	23	A2	00	00	00	00	.	0	;	...	P	'	...	#	°	...						
0000000080	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
0000000090	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
00000000A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
00000000B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
00000000C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
00000000D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
00000000E0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
00000000F0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
0000000100	02	04	00	00	00	00	00	82	00	00	00	00	00	00	00	00
0000000110	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
0000000120	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
0000000130	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
0000000140	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
0000000150	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
0000000160	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
0000000170	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
0000000180	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
0000000190	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
00000001A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
00000001B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00
00000001C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00	00

Highlight legend

- ☒ Enabled
- Recently modified by multi operation (FILL, ERASE)
- Older modified by multi operation (FILL, ERASE)
- Recently modified by Byte/Word direct edit
- Older modified by Byte/Word direct edit

Clear